

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE
STATE OF NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office.....JUL 10 1991Returned to applicant for correction.....AUG 14 1991

Corrected application filed.....Map filed.....

The applicant.....NEVADA DEPARTMENT OF CONSERVATION & NATURAL RESOURCES.
DIVISION OF STATE LANDS505 East King Street, Room #300 of Carson City
Street and No. or P.O. Box No. City or TownNevada 89710 hereby make.... application for permission to change the
State and Zip Code No.Point of Diversion and Place of Use
Point of diversion, manner of use, and/or place of useof water heretofore appropriated under Permit 48275 (An application to change Certificate 3623)
Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree andidentify right in Decree.1. The source of water is.....an underground source
Name of stream, lake, underground spring or other source.2. The amount of water to be changed.....1983 cfs, 143.54 acre feet
Second feet, acre feet. One second foot equals 448.83 gallons per minute.3. The water to be used for.....Quasi-Municipal and Domestic
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.4. The water heretofore permitted for.....Quasi-Municipal and Domestic
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.5. The water is to be diverted at the following point SW $\frac{1}{4}$, SW $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 33, T15N, R20E, M.D.M.
Describe as being within a 40-acre subdivision of public survey and by course and
(BLM Property)
distance to a section corner. If on unsurveyed land, it should be stated.6. The existing permitted point of diversion is located within SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 32, T15N, R20E, M.D.M.
If point of diversion is not changed, do not answer.
from which the SE corner of Sec. 32, T15N, R20E, M.D.M. bears South 63° 52'
East, 2,931 feet7. Proposed place of use All of Sec. 4 excepting the E $\frac{1}{4}$ NE $\frac{1}{4}$ and the NE $\frac{1}{4}$ SE $\frac{1}{4}$, T14N,
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.
R20E, M.D.M. (Northern Nevada Correctional Center)8. Existing place of use S $\frac{1}{2}$ SW $\frac{1}{4}$ and the SE $\frac{1}{4}$, Sec. 32, T15N, R20E, M.D.M., the NE $\frac{1}{4}$ NW $\frac{1}{4}$
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or
and the N $\frac{1}{2}$ NE $\frac{1}{4}$ Sec. 5, T14N, R20E, M.D.M.
manner of use of irrigation permit, describe acreage to be removed from irrigation.9. Use will be from 1-1 to 12-31 of each year.
Month and Day Month and Day10. Use was permitted from 1-1 to 12-31 of each year.
Month and Day Month and Day11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.) Drilled well, pump and distribution system
State manner in which water is to be diverted, i.e. diversion structure,
ditches, pipes and flumes, or drilled well, etc.12. Estimated cost of works.....\$150,00013. Estimated time required to construct works.....1 year

14. Estimated time required to complete the application of water to beneficial use 4 years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

This application is being filed to facilitate a proposed agreement with Carson City and the Nevada Public Works Board to use the full allocation left from Certificate 3623 in the Eagle Valley Ground Water Basin - 143.54 acre feet per year. Use map under 48275 support existing P.O.D. and new map for proposed.

By s/Pam B. Wilcox, Administrator
Pamela B. Wilcox
Division of state Lands
505 East King Street, Room #300
Carson City, Nevada 89710

Compared bc/bc

Protested

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed cubic feet per second.

Work must be prosecuted with reasonable diligence and be completed on or before.

Proof of completion of work shall be filed before.

Application of water to beneficial use shall be made on or before.

Proof of the application of water to beneficial use shall be filed on or before.

Map in support of proof of beneficial use shall be filed on or before.

Completion of work filed.

Proof of beneficial use filed.

Cultural map filed.

Certificate No. Issued.

IN TESTIMONY WHEREOF, I, State Engineer of Nevada, have hereunto set my hand and the seal of my office, this day of A.D. 19.

State Engineer

CANCELLED APR 20 1993 BECAUSE OF FAILURE TO FILE APPLICATION WITHIN SET TIME
STATE ENGINEER